



**Certificate  
of Analysis**

**Product #**

**10-223**

**H<sub>2</sub>O Water Block**

**Concentrate**

**Premier Finishes, Inc.**

**H<sub>2</sub>O Block Concentrate**

**PHYSICAL CHARACTERISTICS**

<b>Weight per gallon:</b>	<b>8.3</b>
<b>% Solids by weight:</b>	<b>32.05</b>
<b>% Solids by volume:</b>	<b>32.76</b>
<b>PH:</b>	<b>8.5 – 9.3</b>
<b>Viscosity - BROOK:</b>	<b>200-500</b>
<b>Flash Point (closed cup):</b>	<b>None</b>
<b>Spread Rate:</b>	<b>525 sq. ft. @ 1 mil</b>
<b>Material VOC:</b>	<b>0.00 lb. / gal. @ 0</b>
<b>Coatings VOC (-water):</b>	<b>0.00 lb. / gal. @ 0</b>

**Application Specifications**

**Method:** Product can be applied by airless spray, dip, brush, roller, or modified pressure process.

**Coverage:** Depends on porosity of substrate

**Colors:** Slightly opaque. Custom semi-transparent colors available.

**Reduction:** Water

**Special Notes**

**Please read the SDS before using this product.**

**Shelf life:** Six months – please rotate stock on a regular basis. Do not freeze. Optimum use at 70F.

**Clean Up:** Warm water or warm, soapy water.

**Regulatory status:** This product is not considered a hazardous waste under current RCRA regulations. This product does not contain, nor is it manufactured using ozone depleting substances as listed under Section 611 of the Clean Air Act.

**PremierFinishes.net**