



**PREMIER FINISHES INC.**

**Safety Data Sheet**  
**10-524**

**SECTION 1: Identification**

Product name

**TuffKote 100% Acrylic Interior/Exterior TopCoat - Lt. Grey**

**Supplier's details**

Name  
Address

Premier Finishes Inc.  
PO Box 3146  
Oregon City, OR 97045  
USA

Telephone  
Fax  
email

503-241-2770  
503-241-2363  
office@premierfinishes.net

**PremierFinishes.net**

**SECTION 2: Hazard identification**

**Pictogram**



**Hazard statement(s)**

H302

**H317**

**Precautionary statement(s)**

P102

P103

Harmful if swallowed  
**May cause an allergic skin reaction**

Keep out of reach of children.  
Read label before use.

# Safety Data Sheet

## 10-524 TuffKote 100% Acrylic Interior/Exterior TopCoat - Lt. Grey

### SECTION 3: Composition/information on ingredients

#### 1. MONOETHANOLAMINE

Concentration >= 0.1278 - < 0.13 %  
EC no. 205-483-3  
CAS no. 141-43-5  
Index no. 603-030-00-8

#### 2. Distillates (petroleum), hydrotreated heavy paraffinic

Concentration >= 0.495 - < 0.5 %  
CAS no. 64742-54-7

#### 3. Propanoic acid, 2-methyl-, monoester with 2,2,4-trimethyl-1,3-pentanediol

Concentration >= 0.99 - < 1 %  
EC no. 246-771-9  
CAS no. 25265-77-4

#### 4. 1,2-Propanediol

Concentration >= 0.66 - <= 0.7 %  
CAS no. 57-55-6

#### 5. TITANIUM DIOXIDE

Concentration > 1 - < 20 %  
CAS no. 13463-67-7

#### 6. Iron hydroxide oxide yellow

Concentration > 0.1 - < 0.9 %  
CAS no. 51274-00-1

Any concentration shown as a range is to protect confidentiality or due to batch variation.

See OSHA 1910.1200(i)

### SECTION 4: First-aid measures

#### Description of necessary first-aid measures

General advice	Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
If inhaled	If inhaled: Call a poison center or doctor if you feel unwell.  Acute and delayed symptoms and effects: May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.
In case of skin contact	If on skin: Wash with plenty of soap and water for at least 15 minutes. Call a poison center or doctor if you feel unwell.  Acute and delayed symptoms and effects: May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.
In case of eye contact	If in eyes: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

## Safety Data Sheet

### 10-524 TuffKote 100% Acrylic Interior/Exterior TopCoat - Lt. Grey

Acute and delayed symptoms and effects: Causes serious eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

If swallowed

If swallowed: Call a poison center or doctor if you feel unwell. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

Acute and delayed symptoms and effects: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

#### **Most important symptoms/effects, acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## SECTION 5: Fire-fighting measures

#### **Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Specific hazards arising from the chemical**

Closed containers may rupture if exposed to fire or extreme heat.

#### **Special protective actions for fire-fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## SECTION 6: Accidental release measures

#### **Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

#### **Environmental precautions**

Keep out of drains, sewers, ditches, and waterways.

#### **Methods and materials for containment and cleaning up**

Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

## SECTION 7: Handling and storage

#### **Precautions for safe handling**

Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.

#### **Conditions for safe storage, including any incompatibilities**

Keep container tightly closed. Keep out of the reach of children.

#### **Specific end use(s)**

Do not freeze. Product will not recover.

# Safety Data Sheet

## 10-524 TuffKote 100% Acrylic Interior/Exterior TopCoat - Lt. Grey

### SECTION 8: Exposure controls/personal protection

#### Appropriate engineering controls

If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

#### Pictograms



#### Eye/face protection

Safety glasses with side-shields.

#### Skin protection

Protective gloves and impervious clothing.

#### Body protection

Wear suitable protective clothing.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### SECTION 9: Physical and chemical properties

Appearance/form (physical state, color, etc.)	Liquid
Odor	Slight Latex
Odor threshold	Not determined
pH	8.5-9.5
Melting point/freezing point	Melt - NA, Freeze 0 C/32 F
Initial boiling point and boiling range	100 C / 212 F
Flash point	None
Evaporation rate	Slower than Ether
Flammability (solid, gas)	Not Applicable
Upper/lower flammability limits	No data available.
Vapor pressure	No data available.
Vapor density	Heavier than air
Relative density	1.455
Solubility(ies)	Water
Partition coefficient: n-octanol/water	No data available.
Auto-ignition temperature	Not Applicable
Decomposition temperature	No data available.
Viscosity	13-15" #3Zahn
Explosive properties	None
Oxidizing properties	No data available.

## Safety Data Sheet

### 10-524 TuffKote 100% Acrylic Interior/Exterior TopCoat - Lt. Grey

#### SECTION 10: Stability and reactivity

##### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

##### Chemical stability

No hazardous decomposition products if stored and handled as prescribed/indicated.

##### Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

##### Conditions to avoid

Avoid freezing. Product will not recover.

##### Incompatible materials

No substances known that should be avoided.

##### Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

#### SECTION 11: Toxicological information

##### Acute toxicity

No significant reaction of the human body to this specific product known. Routes of entry for liquids are ingestion and inhalation but may include eye or skin contact.

Symptoms (including delayed and immediate effects):

Inhalation: May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Ingestion: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

##### Skin irritation

May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.

##### Eye irritation

May cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

##### Respiratory or skin sensitization

No data available.

##### Germ cell mutagenicity

No data available.

##### Carcinogenicity

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

##### Reproductive toxicity

No data available.

# Safety Data Sheet

## 10-524 TuffKote 100% Acrylic Interior/Exterior TopCoat - Lt. Grey

### Summary of evaluation of the CMR properties

No data available.

### STOT-single exposure

No data available.

### STOT-repeated exposure

No data available.

### Aspiration hazard

No aspiration hazard expected.

## SECTION 12: Ecological information

### Toxicity

According to known experience, the material has no harmful effect on the environment.

### Persistence and degradability

MONOETHANOLAMINE: Biodegradability aerobic - Exposure time 28 d

Result: > 70 % - Readily biodegradable  
(OECD Test Guideline 301F)

### Bioaccumulative potential

MONOETHANOLAMINE:

<http://webnet.oecd.org/ccrweb/ChemicalDetails.aspx?ChemicalID=A51B9C16-0837-416F-9697-991CEC9F46D1>

Bioaccumulative (B)? No

### Mobility in soil

No data available.

### Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### Other adverse effects

According to known experience, the material has no harmful effect on the environment.

## SECTION 13: Disposal considerations

### Disposal of the product

Treatment in biological waste water treatment plants must be performed according to local and administrative regulations.

### Disposal of contaminated packaging

Do not reuse empty containers. It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA.

### Waste treatment

Treatment in biological waste water treatment plants must be performed according to local and administrative regulations.

### Sewage disposal

Treatment in biological waste water treatment plants must be performed according to local and administrative regulations.

# Safety Data Sheet

## 10-524 TuffKote 100% Acrylic Interior/Exterior TopCoat - Lt. Grey

### Other disposal recommendations

Treatment in biological waste water treatment plants must be performed according to local and administrative regulations.

## SECTION 14: Transport information

### DOT (US), IMDG, IATA


Not dangerous goods

## SECTION 15: Regulatory information

### HMIS Rating

10-524 TuffKote 100% Acrylic Interior/Exterior TopCoat - Lt. Grey	
HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	B

### NFPA Rating



## SECTION 16: Other information

Do not freeze. Product will not recover.

### Disclaimer:

While the description, data, and information contained herein are presented in good faith and believed to be accurate, it is provided for guidance only. Because many factors may affect application/use, it is recommended that you make tests to determine the suitability of a product for your particular purpose prior to use. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding the product described, data, or information set forth, or that the product, data, or information may be used without infringing the intellectual property rights of others. In no case shall the description, information, or data provided be considered a part of our terms and conditions of sale. Further, you expressly understand and agree that the description, data, and information furnished herein are given gratis and we assume no obligation or liability for the description, data, and information given or results obtained, all such being given and accepted at your risk. The content of this SDS (a.k.a. MSDS) is copyrighted [(c) PFI]. This SDS may be shared, without changes, and no changes to the PFI content are authorized. Updates to all PFI SDS documents must be obtained directly from PFI. See Section 1 for PFI contact and website information.