



## PREMIER FINISHES INC.

### Safety Data Sheet LP17A10A

#### SECTION 1: Identification

Product name **TanaShade Piviteau Gris**

#### Supplier's details

Name Premier Finishes Inc.  
Address PO Box 3146  
Oregon City, OR 97045  
USA

Telephone 503-241-2770  
Fax 503-241-2363

**PremierFinishes.net**

#### SECTION 2: Hazard identification

#### Pictogram



#### Precautionary statement(s)

P102	Keep out of reach of children.
P103	Read label before use.
P202	Do not handle until all safety precautions have been read and understood.
P233	Keep container tightly closed.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

#### SECTION 3: Composition/information on ingredients

#### 1. MONOETHANOLAMINE

Concentration	> 0.1 - < 0.175 %
EC no.	205-483-3
CAS no.	141-43-5
Index no.	603-030-00-8

# Safety Data Sheet

## LP17A10A

### 2. $\alpha$ -(4-Nonylphenyl)- $\omega$ -hydroxy-poly(oxy-1,2-ethanediyl)

Concentration >= 0 - < 0.6 %  
EC no. 500-315-8  
CAS no. 127087-87-0

### 3. TITANIUM DIOXIDE

Concentration > 1 - > 20 %  
CAS no. 13463-67-7

### 4. Iron (III) oxide

Concentration > 0.2 - < 0.4 %  
CAS no. 1309-37-1

### 5. 2,2,4-Trimethyl-1,3-pentanediol monoisobutyrate

Concentration > 0.7 - < 0.9 %  
EC no. 246-771-9  
CAS no. 25265-77-4

### 6. Carbon black

Concentration > 0.025 - < 5 %  
CAS no. 1333-86-4

**See OSHA 1910.1200(i)**

## SECTION 4: First-aid measures

General advice	Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
If inhaled	If inhaled: Call a poison center or doctor if you feel unwell.  Acute and delayed symptoms and effects: May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.
In case of skin contact	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a poison center or doctor. Wash contaminated clothing before reuse.  Acute and delayed symptoms and effects: May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.
In case of eye contact	If in eyes: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.  Acute and delayed symptoms and effects: Causes serious eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.
If swallowed	If swallowed: Call a poison center or doctor if you feel unwell. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

# Safety Data Sheet

## LP17A10A

### Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## SECTION 5: Fire-fighting measures

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Specific hazards arising from the chemical

Closed containers may rupture if exposed to fire or extreme heat.

### Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

### Environmental precautions

Keep out of drains, sewers, ditches, and waterways.

### Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

## SECTION 7: Handling and storage

### Precautions for safe handling

Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.

### Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep out of the reach of children.

## SECTION 8: Exposure controls/personal protection

### CAS: 1309-37-1

Iron oxide

ACGIH (USA): 5 mg/m<sup>3</sup> (resp.) TLV® inhalation; Cal/OSHA: 5 mg/m<sup>3</sup> (fume) PEL inhalation; NIOSH: 5 mg/m<sup>3</sup> (dust and fume) REL inhalation; OSHA: 10 (fume) mg/m<sup>3</sup> PEL inhalation

### CAS: 1333-86-4

Carbon black

ACGIH (USA): 3 mg/m<sup>3</sup> (IHL) TLV® inhalation; Cal/OSHA: 3.5 mg/m<sup>3</sup> PEL inhalation; NIOSH: 3.5 mg/m<sup>3</sup> (without PAHs); when PAHs are present, NIOSH considers carbon black to be a potential occupational carcinogen., See Appendix A, Appendix C REL inhalation; OSHA: 3.5 mg/m<sup>3</sup> PEL inhalation

### CAS: 13463-67-7

Titanium dioxide - Total dust

ACGIH (USA): 10 mg/m<sup>3</sup> TLV® inhalation; Cal/OSHA: See PNOR PEL inhalation; NIOSH: Ca, (ultrafine particles), 2.4 mg/m<sup>3</sup> fine), 0.3 mg/m<sup>3</sup>(ultrafine), See Appendix A, See Appendix C REL inhalation; OSHA: 15 mg/m<sup>3</sup> PEL inhalation

The risks profiled are not attributable to formulated products, like paint, where TiO<sub>2</sub> dust is embedded in the mixture. It is imperative to stress that any form of TiO<sub>2</sub> used in paint and other formulated products is stably embedded in a polymer matrix/liquid matrix and not available for exposure by inhalation. Paints, coatings, inks and other polymers have a long history of safe use, as do the organic and organo-metallic pigments and dyes that have been used in these and other applications.

# Safety Data Sheet

## LP17A10A

### CAS: 141-43-5

Ethanolamine

ACGIH (USA): 3 ppm, (ST) 6 ppm TLV® inhalation; Cal/OSHA: 3 ppm, (ST) 6 ppm PEL inhalation; NIOSH: 3 ppm, (ST) 6 ppm REL inhalation; OSHA: 3 ppm PEL inhalation; 6 mg/m<sup>3</sup> PEL inhalation

If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

### Pictograms



### Eye/face protection

Safety glasses with side-shields.

### Skin protection

Protective gloves and impervious clothing.

### Body protection

Wear suitable protective clothing.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

Appearance/form (physical state, color, etc.)	liquid
Odor	acrylic
pH	8.3 - 9.3
Melting point/freezing point	0 C / 32F = Freeze
Flash point	None
Evaporation rate	slower than ether
Vapor density	Heaver than air
Solubility(ies)	Water
Viscosity	55-60 KU
Oxidizing properties	Hazardous polymerization will not occur

## SECTION 10: Stability and reactivity

### Reactivity

No specific test data related to reactivity available for this product or its ingredients.

### Chemical stability

Stable under recommended storage conditions.

# Safety Data Sheet

## LP17A10A

### Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.  
Hazardous polymerization does not occur.

### Conditions to avoid

No data available.

### Incompatible materials

No data available.

### Hazardous decomposition products

Carbon oxides

## SECTION 11: Toxicological information

### Acute toxicity

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion.

### Skin corrosion/irritation

May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.

### Serious eye damage/irritation

May cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

### Respiratory or skin sensitization

No data available.

### Germ cell mutagenicity

No data available.

### Reproductive toxicity

No data available.

### Summary of evaluation of the CMR properties

No data available.

### STOT-single exposure

No data available.

### STOT-repeated exposure

No data available.

### Aspiration hazard

No data available.

## SECTION 12: Ecological information

### Toxicity

No data available.

### Persistence and degradability

No data available.

-----

Dipropylene glycol monomethyl ether: Biodegradability aerobic - Exposure time 28 d  
Result: 76 % - Readily biodegradable  
(OECD Test Guideline 301F)

# Safety Data Sheet

## LP17A10A

### Bio accumulative potential

No data available.

-----

Dipropylene glycol monomethyl ether:

<http://webnet.oecd.org/ccrweb/ChemicalDetails.aspx?ChemicalID=0F505FF5-E297-4D11-B841-AE6B73A2C59C>

Does not bio accumulate.

### Mobility in soil

No data available.

### Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## SECTION 13: Disposal considerations

### Disposal of the product

Dispose of contents/containers in accordance with local regulations.

### Disposal of contaminated packaging

Do not reuse empty containers.

## SECTION 14: Transport information

### DOT (US), IMDG, IATA


Not dangerous goods

## SECTION 15: Regulatory information

### HMIS Rating

LP17A10A	
HEALTH	* 1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	B

### NFPA Rating



## SECTION 16: Other information

### DISCLAIMER:

While the description, data, and information contained herein are presented in good faith and believed to be accurate, it is provided for guidance only. Because many factors may affect application/use, it is recommended that you make tests to determine the suitability of a product for your particular purpose prior to use. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding the product described, data, or information set forth, or that the product, data, or information may be used without infringing the intellectual property rights of others. In no case shall the description, information, or data provided be considered a part of our terms and conditions of sale. Further, you expressly understand and agree that the description, data, and information furnished herein are given gratis and we assume no obligation or liability for the description, data, and information given or results obtained, all such being given and accepted at your risk.